

**Amendments to the Claims:**

The following claims will replace all prior versions of the claims in this application (in the unlikely event that no claims follow herein, the previously pending claims will remain):

1-22. (Cancelled).

23. (Previously presented) A solid imaging apparatus, said apparatus including:

- (i) a vessel containing a photoformable composition;
- (ii) a movable platform disposed within said vessel;
- (iii) a sub-assembly comprising a movable dispenser, said movable dispenser defining an opening;

wherein said sub-assembly is adapted to both receive and deposit part of said photoformable composition through said opening.

24. (Previously presented) The apparatus of claim 23, wherein said opening is a downwardly facing elongated slot.

25. (Previously presented) The apparatus of claim 23, wherein said movable dispenser is adapted to deposit part of said photoformable composition above said platform.

26. (Previously presented) The apparatus of claim 23, wherein said apparatus further comprises a radiation source capable of curing said photoformable composition.

27. (Previously presented) The apparatus of claim 23, wherein said dispenser comprises a pair of plates that hold the lifted composition therebetween.

28. (Previously presented) The apparatus of claim 23, wherein said dispenser includes a holding mechanism that holds the lifted composition above the surface of said photoformable composition in the vessel.

29. (Previously presented) The apparatus of claim 23, wherein the dispenser includes a blade with an edge positioned at the surface of said photoformable composition in the vessel.

30. (Previously presented) The apparatus of claim 23, wherein said dispenser includes a blade with a holding mechanism that holds lifted composition against a surface of the blade.

31. (Previously presented) The apparatus of claim 23, wherein the dispenser includes a pair of plates that form a holding chamber therebetween, wherein a portion of the composition is retained within the chamber while another portion of the composition is allowed to flow from the chamber by force of gravity.

32-51. (Cancelled).

52. (Currently amended) A solid imaging system comprising:

(a) a photoformable composition including free radical polymerizable material; and

(a ~~b~~) said an apparatus including

- (i) a vessel for containing said photoformable composition;
- (ii) a movable platform disposed within said vessel;
- (iii) a sub-assembly comprising a movable dispenser, said movable dispenser defining an opening;

wherein said sub-assembly is adapted to both receive and deposit part of said photoformable composition through said opening; ~~and~~

~~(b) a photoformable composition including free radical polymerizable material.~~

53. (Previously presented) The system of claim 52, wherein said opening is a downwardly facing elongated slot.

54. (Previously presented) The system of claim 52, wherein said movable dispenser is adapted to deposit part of said photoformable composition above said platform.

55. (Previously presented) The system of claim 52, wherein said apparatus further comprises a radiation source capable of curing said photoformable composition.

56. (Previously presented) The system of claim 52, wherein said dispenser comprises a pair of plates that hold the lifted composition therebetween.

57. (Previously presented) The system of claim 52, wherein said dispenser includes a holding mechanism that holds the lifted composition above the surface of said photoformable composition in the vessel.

58. (Previously presented) The system of claim 52, wherein the dispenser includes a blade with an edge positioned at the surface of said photoformable composition in the vessel.

59. (Previously presented) The system of claim 52, wherein said dispenser includes a blade with a holding mechanism that holds lifted composition against a surface of the blade.

60. (Previously presented) The system of claim 52, wherein the dispenser includes a pair of plates that form a holding chamber therebetween, wherein a portion of the composition is retained within the chamber while another portion of the composition is allowed to flow from the chamber by force of gravity.

61. (Previously presented) The system of claim 52, wherein said composition further comprises cationically polymerizable material.

62. (Previously presented) The system of claim 52, wherein said free radical polymerizable material includes ethoxylated trimethylolpropane triacrylate.

63. (Previously presented) The system of claim 61, wherein said free radical polymerizable material includes ethoxylated trimethylolpropane triacrylate.

64. (Previously presented) The system of claim 52, wherein said composition comprises thermally coalescible polymeric cohesive material.